


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4385$ $y=0.3996$ $u'=0.2535$ $v'=0.5198$

CCT=2937K (Duv=-0.0020) Dominant WL:Ld =583.8nm Purity=51.5%

Ratio:R=25.2% G=71.9% B=2.9% Peak WL:Lp=630.9nm FWHM=8.4nm

Render Index:Ra=93.0

R1 =94 R2 =98 R3 =98 R4 =95 R5 =95 R6 =96 R7 =89

R8 =78 R9 =52 R10=94 R11=96 R12=89 R13=95 R14=99 R15=88

Photo Parameters:

Flux = 4101 lm Eff. : 111.99 lm/W Fe = 12.73 W

Electrical parameters:

V = 230.18 V I = 0.1639 A P = 36.62 W PF = 0.9709

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 92 ms Ip = 44105 (67%)

GBT5702

Model:DL3008-BKTC35S03-3000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.1

Date:2024-07-08

Humidity:65.0%

Remark:2835 96 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3759$ $y=0.3613$ $u'=0.2284$ $v'=0.4939$

CCT=4017K (Duv=-0.0061) Dominant WL:Ld =583.3nm Purity=21.2%

Ratio:R=20.9% G=74.6% B=4.5% Peak WL:Lp=631.1nm FWHM=8.3nm

Render Index:Ra=95.4

R1 =98 R2 =98 R3 =97 R4 =97 R5 =97 R6 =94 R7 =93

R8 =89 R9 =74 R10=96 R11=96 R12=77 R13=99 R14=98 R15=97

Photo Parameters:

Flux = 4143 lm Eff. : 122.29 lm/W Fe = 13.33 W

Electrical parameters:

V = 230.18 V I = 0.1523 A P = 33.87 W PF = 0.9663

LEVEL:OUT WHITE:OUT

Status: Integral T = 92 ms Ip = 36887 (56%)

GBT5702

Model:DL3008-BKTC35S03-4000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.2

Date:2024-07-08

Humidity:65.0%

Remark:2835 96 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3259$ $y=0.3352$ $u'=0.2046$ $v'=0.4736$

CCT=5805K (Duv=-0.0000) Dominant WL:Ld =495.0nm Purity=2.4%

Ratio:R=16.2% G=77.9% B=5.9% Peak WL:Lp=451.4nm FWHM=21.3nm

Render Index:Ra=93.1

R1 =94 R2 =96 R3 =94 R4 =94 R5 =94 R6 =91 R7 =94

R8 =88 R9 =65 R10=88 R11=94 R12=70 R13=95 R14=97 R15=93

Photo Parameters:

Flux = 4093 lm Eff. : 117.33 lm/W Fe = 13.46 W

Electrical parameters:

V = 230.20 V I = 0.1565 A P = 34.88 W PF = 0.9683

LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 179 ms Ip = 51468 (79%)

GBT5702

Model:DL3008-BKTC35S03-5700K

Tester:

Temperature:25.3Deg

Manufacturer:

No.3

Date:2024-07-08

Humidity:65.0%

Remark:2835 96 220-240V