


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4309$ $y=0.4013$ $u'=0.2479$ $v'=0.5194$

CCT=3081K (Duv=-0.0003) Dominant WL:Ld =582.6nm Purity=49.8%

Ratio:R=23.9% G=73.0% B=3.0% Peak WL:Lp=614.0nm FWHM=155.5nm

Render Index:Ra=92.5

R1 =93 R2 =97 R3 =99 R4 =94 R5 =93 R6 =97 R7 =90

R8 =77 R9 =49 R10=93 R11=96 R12=83 R13=95 R14=100 R15=87

Photo Parameters:

Flux = 875.1 lm Eff. : 86.95 lm/W Fe = 2.872 W

Electrical parameters:

V = 230.57 V I = 0.04863 A P = 10.06 W PF = 0.8976

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 866 ms Ip = 54501 (83%)

GBT5702

Model:DL1757-WHTC13C01-3000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.1

Date:2024-12-03

Humidity:65.0%

Remark:TB81-1911A 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3811$ $y=0.3732$ $u'=0.2270$ $v'=0.5001$

CCT=3954K (Duv=-0.0019) Dominant WL:Ld =580.3nm Purity=26.4%

Ratio:R=20.2% G=75.6% B=4.2% Peak WL:Lp=452.0nm FWHM=22.2nm

Render Index:Ra=93.9

R1 =95 R2 =97 R3 =97 R4 =94 R5 =94 R6 =94 R7 =93

R8 =85 R9 =64 R10=92 R11=95 R12=74 R13=96 R14=98 R15=92

Photo Parameters:

Flux = 951.0 lm Eff. : 97.58 lm/W Fe = 3.193 W

Electrical parameters:

V = 230.57 V I = 0.04736 A P = 9.746 W PF = 0.8925

LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 866 ms Ip = 50584 (77%)

GBT5702

Model:DL1757-WHTC13C01-4000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.2

Date:2024-12-03

Humidity:65.0%

Remark:TB81-1911A 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3409$ $y=0.3520$ $u'=0.2084$ $v'=0.4843$ CCT=5166K (Duv=0.0019) Dominant WL: $\lambda_d = 567.9\text{nm}$ Purity=7.9%Ratio: R=16.6% G=78.3% B=5.1% Peak WL: $\lambda_p = 450.3\text{nm}$ FWHM=21.7nmRender Index: $R_a = 91.5$

R1 =92 R2 =93 R3 =93 R4 =92 R5 =92 R6 =90 R7 =94

R8 =86 R9 =61 R10=83 R11=92 R12=70 R13=92 R14=96 R15=90

Photo Parameters:

Flux = 946.9 lm Eff. : 94.55 lm/W $\Phi_e = 3.227\text{ W}$

Electrical parameters:

 $V = 230.56\text{ V}$ $I = 0.04838\text{ A}$ $P = 10.01\text{ W}$ PF = 0.8978

LEVEL:OUT WHITE:ANSI_5000K

Status: Integral $T = 866\text{ ms}$ $I_p = 45702$ (70%)

GBT5702

Model:DL1757-WHTC13C01-5000K

Tester:

Temperature:25.3Deg

Manufacturer:

No.3

Date:2024-12-03

Humidity:65.0%

Remark:TB81-1911A 220-240V