


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4353$ $y=0.4019$ $u'=0.2504$ $v'=0.5203$

CCT=3011K (Duv=-0.0006) Dominant WL:Ld =583.0nm Purity=51.3%

Ratio:R=22.8% G=74.7% B=2.5% Peak WL:Lp=605.0nm FWHM=124.0nm

Render Index:Ra=82.3

R1 =81 R2 =90 R3 =96 R4 =81 R5 =81 R6 =89 R7 =82

R8 =58 R9 =3 R10=79 R11=81 R12=73 R13=83 R14=99 R15=73

Photo Parameters:

Flux = 812.0 lm Eff. : 79.53 lm/W Fe = 2.449 W

Electrical parameters:

V = 231.95 V I = 0.04992 A P = 10.21 W PF = 0.8818

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 598 ms Ip = 39226 (60%)

GBT5702

Model:DL1561-WH3C10S01-3000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.1

Date:2024-10-19

Humidity:65.0%

Remark:2835 52 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3770$ $y=0.3690$ $u'=0.2260$ $v'=0.4976$

CCT=4038K (Duv=-0.0027) Dominant WL:Ld =580.6nm Purity=23.9%

Ratio:R=18.8% G=77.4% B=3.8% Peak WL:Lp=452.3nm FWHM=21.1nm

Render Index:Ra=85.4

R1 =85 R2 =92 R3 =95 R4 =84 R5 =85 R6 =88 R7 =87

R8 =68 R9 =20 R10=80 R11=84 R12=64 R13=87 R14=98 R15=80

Photo Parameters:

Flux = 912.5 lm Eff. : 94.67 lm/W Fe = 2.829 W

Electrical parameters:

V = 231.94 V I = 0.04768 A P = 9.638 W PF = 0.8716

LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 598 ms Ip = 37497 (57%)

GBT5702

Model:DL1561-WH3C10S01-4000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.2

Date:2024-10-19

Humidity:65.0%

Remark:2835 52 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3307$ $y=0.3426$ $u'=0.2051$ $v'=0.4781$

CCT=5579K (Duv=0.0016) Dominant WL:Ld =537.7nm Purity=2.1%

Ratio:R=14.9% G=80.2% B=4.9% Peak WL:Lp=452.3nm FWHM=21.1nm

Render Index:Ra=84.0

R1 =83 R2 =88 R3 =91 R4 =84 R5 =83 R6 =83 R7 =88

R8 =71 R9 =16 R10=71 R11=83 R12=58 R13=85 R14=95 R15=79

Photo Parameters:

Flux = 848.3 lm Eff. : 83.25 lm/W Fe = 2.699 W

Electrical parameters:

V = 231.95 V I = 0.04981 A P = 10.19 W PF = 0.8819

LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 1010 ms Ip = 54196 (83%)

GBT5702

Model:DL1561-WH3C10S01-5700K

Tester:

Temperature:25.3Deg

Manufacturer:

No.3

Date:2024-10-19

Humidity:65.0%

Remark:2835 52 220-240V