


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4406$ $y=0.4050$ $u'=0.2525$ $v'=0.5223$

CCT=2947K (Duv=-0.0001) Dominant WL:Ld =583.1nm Purity=53.8%

Ratio:R=23.1% G=74.6% B=2.3% Peak WL:Lp=600.7nm FWHM=128.1nm

Render Index:Ra=81.7

R1 =80 R2 =90 R3 =97 R4 =80 R5 =80 R6 =88 R7 =82

R8 =57 R9 =3 R10=77 R11=79 R12=70 R13=82 R14=99 R15=72

Photo Parameters:

Flux = 622.0 lm Eff. : 68.43 lm/W Fe = 1.882 W

Electrical parameters:

V = 230.74 V I = 0.04257 A P = 9.089 W PF = 0.9253

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 541 ms Ip = 44865 (68%)

GBT5702

Model:DL9455 BK TC-3000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.1

Date:2021-06-26

Humidity:65.0%

Remark:2835 16 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3831$ $y=0.3737$ $u'=0.2281$ $v'=0.5006$

CCT=3902K (Duv=-0.0022) Dominant WL:Ld =580.7nm Purity=27.1%

Ratio:R=19.1% G=77.3% B=3.6% Peak WL:Lp=453.7nm FWHM=21.7nm

Render Index:Ra=84.6

R1 =84 R2 =91 R3 =95 R4 =83 R5 =83 R6 =87 R7 =86

R8 =67 R9 =17 R10=79 R11=82 R12=63 R13=86 R14=98 R15=79

Photo Parameters:

Flux = 723.4 lm Eff. : 84.06 lm/W Fe = 2.232 W

Electrical parameters:

V = 230.76 V I = 0.04058 A P = 8.606 W PF = 0.9189

LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 541 ms Ip = 45779 (70%)

GBT5702

Model:DL9455 BK TC-4000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.2

Date:2021-06-26

Humidity:65.0%

Remark:2835 16 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3343$ $y=0.3449$ $u'=0.2067$ $v'=0.4797$

CCT=5417K (Duv=0.0011) Dominant WL:Ld =558.2nm Purity=3.8%

Ratio:R=15.0% G=80.2% B=4.8% Peak WL:Lp=453.4nm FWHM=24.1nm

Render Index:Ra=83.1

R1 =82 R2 =88 R3 =91 R4 =83 R5 =82 R6 =83 R7 =87

R8 =69 R9 =10 R10=71 R11=81 R12=59 R13=84 R14=95 R15=77

Photo Parameters:

Flux = 643.3 lm Eff. : 71.18 lm/W Fe = 2.035 W

Electrical parameters:

V = 230.74 V I = 0.04235 A P = 9.038 W PF = 0.9249

LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 541 ms Ip = 38990 (59%)

GBT5702

Model:DL9455 BK TC-5700K

Tester:

Temperature:25.3Deg

Manufacturer:

No.3

Date:2021-06-26

Humidity:65.0%

Remark:2835 16 220-240V