


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4345$ $y=0.4045$ $u'=0.2488$ $v'=0.5212$

CCT=3045K (Duv=0.0005) Dominant WL:Ld =582.5nm Purity=51.8%

Ratio:R=24.4% G=72.7% B=2.9% Peak WL:Lp=631.1nm FWHM=8.1nm

Render Index:Ra=93.5

R1 =94 R2 =97 R3 =99 R4 =95 R5 =94 R6 =97 R7 =91

R8 =80 R9 =54 R10=92 R11=97 R12=86 R13=95 R14=99 R15=88

Photo Parameters:

Flux = 4525 lm Eff. : 124.23 lm/W Fe = 13.82 W

Electrical parameters:

V = 231.46 V I = 0.1610 A P = 36.42 W PF = 0.9772

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 80 ms Ip = 54020 (82%)

GBT5702

Model:DL3008-WHTC35S03-3000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.1

Date:2024-09-14

Humidity:65.0%

Remark:2835 96 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3760$ $y=0.3653$ $u'=0.2268$ $v'=0.4958$

CCT=4041K (Duv=-0.0041) Dominant WL:Ld =581.7nm Purity=22.4%

Ratio:R=20.7% G=74.7% B=4.5% Peak WL:Lp=631.1nm FWHM=7.9nm

Render Index:Ra=95.9

R1 =98 R2 =99 R3 =98 R4 =97 R5 =97 R6 =94 R7 =94

R8 =90 R9 =76 R10=97 R11=97 R12=76 R13=99 R14=98 R15=97

Photo Parameters:

Flux = 4744 lm Eff. : 135.40 lm/W Fe = 15.13 W

Electrical parameters:

V = 231.50 V I = 0.1552 A P = 35.04 W PF = 0.9751

LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 80 ms Ip = 49752 (76%)

GBT5702

Model:DL3008-WHTC35S03-4000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.2

Date:2024-09-14

Humidity:65.0%

Remark:2835 96 220-240V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3289$ $y=0.3369$ $u'=0.2060$ $v'=0.4749$

CCT=5663K (Duv=-0.0005) Dominant WL:Ld =502.4nm Purity=1.4%

Ratio:R=16.7% G=77.4% B=5.8% Peak WL:Lp=451.4nm FWHM=20.5nm

Render Index:Ra=94.7

R1 =96 R2 =97 R3 =94 R4 =96 R5 =95 R6 =93 R7 =95

R8 =91 R9 =75 R10=91 R11=96 R12=71 R13=97 R14=97 R15=96

Photo Parameters:

Flux = 4658 lm Eff. : 128.67 lm/W Fe = 15.31 W

Electrical parameters:

V = 231.53 V I = 0.1601 A P = 36.20 W PF = 0.9768

LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 80 ms Ip = 38539 (59%)

GBT5702

Model:DL3008-WHTC35S03-5700K

Tester:

Temperature:25.3Deg

Manufacturer:

No.3

Date:2024-09-14

Humidity:65.0%

Remark:2835 96 220-240V