


**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.4314$   $y=0.4019$  /  $u'=0.2479$   $v'=0.5197$   
 CCT=3078K (Duv=-0.0001) Dominant WL:Ld =582.5nm Purity=50.1%  
 Ratio:R=22.4% G=75.0% B=2.5% Peak WL:Lp=602.6nm FWHM=133.0nm  
 Render Index:Ra=82.9  
 R1 =81 R2 =90 R3 =97 R4 =82 R5 =82 R6 =88 R7 =83  
 R8 =60 R9 =7 R10=78 R11=82 R12=72 R13=83 R14=99 R15=74

**Photo Parameters:**

Flux = 3084 lm Eff. : 101.88 lm/W Fe = 9.36 W

**Electrical parameters:**


V = 230.77 V I = 0.1336 A P = 30.28 W PF = 0.9817  
 LEVEL:OUT WHITE:ANSI\_3000K  
 Status: Integral T = 132 ms Ip = 47165 (72%)

**GBT5702**

Model:DL3082-WHTC30C01P-3000K  
 Tester:  
 Temperature:25.3Deg  
 Manufacturer:

No.1  
 Date:2025-04-16  
 Humidity:65.0%  
 Remark:2835 232 220-240V

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3749$   $y=0.3699$   $u'=0.2242$   $v'=0.4977$

CCT=4102K (Duv=-0.0016) Dominant WL:Ld =579.7nm Purity=23.5%

Ratio:R=18.5% G=77.7% B=3.9% Peak WL:Lp=453.1nm FWHM=21.2nm

Render Index:Ra=85.3

R1 =85 R2 =92 R3 =95 R4 =84 R5 =84 R6 =87 R7 =87

R8 =69 R9 =20 R10=79 R11=83 R12=62 R13=87 R14=98 R15=79

**Photo Parameters:**

Flux = 3574 lm Eff. : 118.94 lm/W Fe = 11.07W

**Electrical parameters:**

V = 230.78 V I = 0.1346 A P = 30.05 W PF = 0.9671

LEVEL:OUT WHITE:ANSI\_4000K

Status: Integral T = 132 ms Ip = 36066 (55%)

**GBT5702**

Model:DL3082-WHTC30C01P-4000K

Tester:

Temperature:25.3Deg

Manufacturer:


No.2

Date:2025-04-16

Humidity:65.0%

Remark:2835 232 220-240V

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3303$   $y=0.3440$  /  $u'=0.2043$   $v'=0.4787$   
 CCT=5582K (Duv=0.0024) Dominant WL:Ld =537.3nm Purity=2.4%  
 Ratio:R=14.7% G=80.3% B=4.9% Peak WL:Lp=453.1nm FWHM=21.0nm  
 Render Index:Ra=83.5  
 R1 =82 R2 =88 R3 =91 R4 =83 R5 =82 R6 =83 R7 =88  
 R8 =70 R9 =12 R10=71 R11=82 R12=58 R13=84 R14=95 R15=78

**Photo Parameters:**

Flux = 3145 lm Eff. : 103.40 lm/W Fe = 9.93 W

**Electrical parameters:**

V = 230.78 V I = 0.1357 A P = 30.42 W PF = 0.9708  
 LEVEL:OUT WHITE:ANSI\_5700K  
 Status: Integral T = 232 ms Ip = 54245 (83%)

**GBT5702**

Model:DL3082-WHTC30C01P-5700K  
 Tester:  
 Temperature:25.3Deg  
 Manufacturer:

No.3  
 Date:2025-04-16  
 Humidity:65.0%  
 Remark:2835 232 220-240V